


CCTV SYSTEM

A tall white pole with several CCTV cameras and sensors attached to it, set against a clear blue sky. The cameras are of various models, including dome and bullet styles.

Wiz Sense



DH-XVR5104HS-I3

4 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports Full-Channel AI-Coding
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 6 Channels IP camera inputs, each channel up to 6MP;
Max 32 Mbps incoming bandwidth
- Up to 1 channel video stream (analog channel) Perimeter Protection
- Up to 4 channel video stream (analog channel) SMD Plus
- Up to 1 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5108HS-I3

8 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports Full-Channel AI-Coding
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 12 Channels IP camera inputs, each channel up to 6MP;
Max 64 Mbps incoming bandwidth
- Up to 1 channel video stream (analog channel) Perimeter Protection
- Up to 8 channel video stream (analog channel) SMD Plus
- Up to 1 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5116HS-I3

16 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 24 Channels IP camera inputs, each channel up to 6MP;
Max 128 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Up to 16 channel video stream (analog channel) SMD Plus
- Up to 2 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5104HS-4KL-I2

4 Channel Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 8 Channels IP camera inputs, each channel up to 8MP;
Max 64 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Up to 4 channel video stream (analog channel) SMD Plus
- Up to 2 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5108HS-4KL-I2

8 Channel Penta-brid 4K-N-5MP Mini 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 16 Channels IP camera inputs, each channel up to 8MP;
Max 128 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Up to 8 channel video stream (analog channel) SMD Plus
- Up to 2 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5116HS-4KL-I2

16 Channel Penta-brid 4K-N/5MP Mini 1U 1HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 32 Channels IP camera inputs, each channel up to 8MP;
Max 128 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Up to 16 channel video stream (analog channel) SMD Plus
- Up to 2 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DH-XVR5208/16AN-4KL-X

8/16 Channel Penta-brid 4K 1U DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 12/24 Channels IP camera inputs, each channel up to 8MP;
Max 48/96 Mbps incoming bandwidth
- Smart Search and intelligent Video System

Wiz Sense



DHI-XVR5232AN-S2

32 Channel Penta-brid 1080p 1U DVR

- Embedded processor
- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 32 Channels IP camera inputs, Max 128 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Long transmission distance over coax cable
- Support 2 SATA HDD, up to 16TB

Wiz Sense



DH-XVR5216AN-4KL-I2

16 Channel Penta-brid 4K-N/5MP 1U 2HDD WizSense DVR

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 32 Channels IP camera inputs, each channel up to 8MP;
Max 128 Mbps incoming bandwidth
- Up to 2 channel video stream (analog channel) Perimeter Protection
- Up to 16 channel video stream (analog channel) SMD Plus
- Up to 2 channel video stream (analog channel) human face recognition
- IoT & POS functionalities

Wiz Sense



DHI-NVR4104HS-4KS2/L

4 Channel Compact 1U 1HDD NVR

- New 4.0 user interface, Security baseline 2.1
- H.264, H265, Smart H2.64+, and Smart H.265+, H2.65 auto switch
- Max. decoding capability : 8x1080p@30 fps. Supports adaptive decoding
- Supports mainstream cameras of ONVIF and RTSP protocols
- P2P remote surveillance, video play on mobile device
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K
- AI by Camera : Face detection, perimeter protection, IVS, people counting, heat map, and SMD
- Supports remote configuration and management of IPC, such as setting parameters, getting information, and upgrading IPC of the same model in batches

Wiz Sense



DHI-NVR4108HS-4KS2/L

8 Channel Compact 1U 1HDD NVR

- New 4.0 user interface, Security baseline 2.1
- H.264, H265, Smart H2.64+, and Smart H.265+, H2.65 auto switch
- Max. decoding capability : 8x1080p@30 fps. Supports adaptive decoding
- Supports mainstream cameras of ONVIF and RTSP protocols
- P2P remote surveillance, video play on mobile device
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K
- AI by Camera : Face detection, perimeter protection, IVS, people counting, heat map, and SMD
- Supports remote configuration and management of IPC, such as setting parameters, getting information, and upgrading IPC of the same model in batches

Network Video Recorder

Wiz Sense



DHI-NVR4116HS-4KS2/L

16 Channel Compact 1U 1HDD NVR

- New 4.0 user interface, Security baseline 2.1
- H.264, H265, Smart H2.64+, and Smart H.265+, H2.65 auto switch
- Max. decoding capability : 8x1080p@30 fps. Supports adaptive decoding
- Supports mainstream cameras of ONVIF and RTSP protocols
- P2P remote surveillance, video play on mobile device
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K
- AI by Camera : Face detection, perimeter protection, IVS, people counting, heat map, and SMD
- Supports remote configuration and management of IPC, such as setting parameters, getting information, and upgrading IPC of the same model in batches

Wiz Sense



DHI-NVR4108-4KS2/L

8 Channel 1U 2HDDs NVR

- New 4.0 user interface, Security baseline 2.1
- H.264, H265, Smart H2.64+, and Smart H.265+, H2.65 auto switch
- Max. decoding capability : 8x1080p@30 fps. Supports adaptive decoding
- Supports mainstream cameras of ONVIF and RTSP protocols
- P2P remote surveillance, video play on mobile device
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K
- AI by Camera : Face detection, perimeter protection, IVS, people counting, heat map, and SMD
- Supports remote configuration and management of IPC, such as setting parameters, getting information, and upgrading IPC of the same model in batches

Wiz Sense



DHI-NVR4116-4KS2/L

16 Channel 1U 2HDDs NVR

- New 4.0 user interface, Security baseline 2.1
- H.264, H265, Smart H2.64+, and Smart H.265+, H2.65 auto switch
- Max. decoding capability : 8x1080p@30 fps.
- Supports adaptive decoding
- Supports mainstream cameras of ONVIF and RTSP protocols
- P2P remote surveillance, video play on mobile device
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K
- AI by Camera : Face detection, perimeter protection, IVS, people counting, heat map, and SMD
- Supports remote configuration and management of IPC, such as setting parameters, getting information, and upgrading IPC of the same model in batches

Wiz Sense



DHI-NVR4108-4KS2/L

8 Channel 1U 2HDDs NVR

- Smart H.265+/H.265/Smart H.264/H.264/MJPEG
- Max 320 Mbps Incoming Bandwidth
- Up to 12MP resolution for preview and playback
- HDMI/VGA simultaneous video output



Kimtech Promises

*To constantly provide you
with good products and
excellent service*

*ทุกปัญหาของท่าน คือปัญหาของเรา
“เราไม่ทิ้งคุณ”*