





# 【Camping ordinary type】 Outdoor solar energy storage power supply


Lead-acid batteries

**7000** **12V** **mAh**

**84Wh**  
capacity

**12V10A**  
DC output

**5V2.5A**  
USB output



Battery capacity:	7000mAh/84Wh
Input voltage:	DC 12V2A
Type of battery:	Lead-acid batteries
Charging time:	4 hours
Cycle times:	>500
DC output:	12V5A
USB Output:	5V2.5A
Screen type:	LCD liquid crystal display
Operating temperature:	-10°C-40°C
Product material:	Wrought iron
Net weight:	1.66KG
Product Size:	217x120x135.5mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs






# 【Camping ordinary type】 Outdoor solar energy storage power supply

Lead-acid batteries

**12000** <sup>12V</sup> mAh  
 144Wh capacity    12V10A DC output    5V2.5A USB output



Battery capacity:	12000mAh/144Wh
Input voltage:	DC 12V2A
Type of battery:	Lead-acid batteries
Charging time:	6 hours
Cycle times:	> 500
DC output:	12V5A
USB Output:	5V2.5A
Screen type:	LCD liquid crystal display
Operating temperature:	-10°C-40°C
Product material:	Wrought iron
Net weight:	3.75KG
Product Size:	217x120x135.5mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs





# 【Camping ordinary type】 Outdoor solar energy storage power supply

LiFePO4

**40000** <sup>3.2V</sup> mAh

120Wh capacity

12V10A DC output

5V2.5A USB output



Soft handle


Master switch

LCD display

DC output \*4pcs

DC input \*1pcs

feet \*4pcs



USB Output\*2pcs

Battery capacity:	40000mAh/120Wh
Input voltage:	DC 14.6V2A
Type of battery:	LiFePO4
Charging time:	3 hours
Cycle times:	>2000
DC output:	12V5A
USB Output:	5V2.5A
Screen type:	LCD liquid crystal display
Operating temperature:	-10°C-40°C
Product material:	Wrought iron
Net weight:	2KG
Product Size:	217x120x135.5mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs



Phone charging



Computer charging



Emergency lighting





# 【Camping ordinary type】 Outdoor solar energy storage power supply


LiFePO4

**80000** <sup>3.2V</sup> mAh


**240Wh**  
capacity

**12V10A**  
DC output

**5V2.5A**  
USB output



Connect the solar panel interface



Full battery interface



Low battery page

Soft handle


Master switch

LCD display

DC output \*4pcs

DC input \*1pcs

feet \*4pcs



USB Output\*2pcs



Outdoor fishing



Outdoor camping



Motorhome travel



Battery capacity:	80000mAh/240Wh
Input voltage:	DC 14.6V/5A
Type of battery:	LiFePO4
Charging time:	4 hours
Cycle times:	>2000
DC output:	12V5A
USB Output:	5V2.5A
Screen type:	LCD liquid crystal display
Operating temperature:	-10°C-40°C
Product material:	Wrought iron
Net weight:	3.1KG
Product Size:	217x120x135.5mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs



# [inverter type] Outdoor solar energy storage power supply

LiFePO4




**80000** <sup>3.2V</sup> **mAh**

**256Wh**  
capacity

**500W**  
AC output

**12V10A**  
DC output

**5V2.5A**  
USB output



Battery capacity:	80000mAh/256Wh
Input voltage:	DC 14.4V8A
Type of battery:	LiFePO4
Charging time:	4Hour
Cycle times:	>2000
DC output:	12V10A
AC output power:	300W/220V 500W/220V
AC output waveform:	Correction wave
AC peak power:	500W/1000W
AC conversion rate:	95%-98%
Inverter no-load current:	300W/0.3A, 600W/0.6A
USB port output:	5V2.5A
Product material:	Wrought iron
Net weight:	2.34KG
Product Size:	225x125x156mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs





# [inverter type] Outdoor solar energy storage power supply

## Ternary Lithium Battery

**135000** <sup>3.7V</sup>  
**mAh**

**540Wh** capacity    **500W** AC output    **12V10A** DC output    **5V2.5A** USB output




Battery capacity:	135000mAh/540Wh
Input voltage:	DC 12.6V8A
Type of battery:	Ternary Lithium Battery
Charging time:	6Hour
Cycle times:	>1800
DC output:	12V10A
AC output power:	300W/220V 500W/220V
AC output waveform:	Correction wave
AC peak power:	500W/1000W
AC conversion rate:	95%-98%
Inverter no-load current:	300W/0.3A, 600W/0.6A
USB port output:	5V2.5A
Product material:	Wrought iron
Net weight:	3.08KG
Product Size:	225x125x156mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs

Outdoor office



Outdoor fishing



Outdoor camping



# Solar outdoor

# Energy storage power supply

Comes with Bluetooth audio, radio, AC\DC\USB charging port









# [Bluetooth inverter type] Outdoor solar energy storage power supply

LiFePO4

**80000** **3.2V** **256Wh** **500W** **12V10A** **5V2.5A**  
 mAh capacity AC output DC output USB output




Battery capacity:	80000mAh/256Wh
Input voltage:	DC 12.6V8A
Type of battery:	LiFePO4
Charging time:	4 hours
Cycle life:	>2000
Radio:	FM/MP3/Bluetooth
DC output:	12V10A
AC output power:	300W/220V 500W/220V
AC output waveform:	Correction wave
AC peak power:	500W/1000W
AC conversion rate:	95%-98%
Inverter no-load current:	300W/0.3A, 600W/0.6A
USB port output:	5V2.5A
Product material:	Wrought iron
net weight:	3.9KG
Product Size:	225x125x170mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs User manual *1pcs AC charger *1pcs Bulb *2pcs 3m bulb Wires *2pcs



# [Bluetooth inverter type] Outdoor solar energy storage power supply

## Ternary Lithium Battery

**135000** **3.7V** **450Wh** **500W** **12V10A** **5V2.5A**  
 mAh capacity AC output DC output USB output



Battery capacity:	135000mAh/450Wh
Input voltage:	DC 12.6V8A
Type of battery:	Ternary Lithium Battery
Charging time:	6 hours
Cycle times:	>1800
Radio:	FM/MP3/Bluetooth
DC output:	12V10A
AC output power:	300W/220V 500W/220V
AC output waveform:	Correction wave
AC peak power:	500W/1000W
AC conversion rate:	95%-98%
Inverter no-load current:	300W/0.3A, 600W/0.6A
USB port output:	5V2.5A
Product material:	Wrought iron
net weight:	4.1KG
Product Size:	225x125x170mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs User manual *1pcs AC charger *1pcs Bulb *2pcs 3m bulb Wires *2pcs



# Outdoor camping RV travel cooking lighting

Solar charging outdoor energy storage power supply





# [Bluetooth torch type] Outdoor solar energy storage power supply


LiFePO4

**40000** <sup>3.2V</sup> mAh

**128Wh**  
capacity

**12V10A**  
DC output

**5V2.5A**  
USB output



Battery capacity:	40000mAh/128Wh
Input voltage:	DC 14.6V2A
Type of battery:	LiFePO4
Charging time:	5Hour
Cycle times:	>2000
Radio:	FM/MP3/Bluetooth
LED lights:	3W Independent lighting switch
DC Output:	12V10A
USB port output:	5V2.5A
Product material:	Wrought iron
Net weight	2.79KG
Product Size:	225x125x170mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs





# [Bluetooth torch type] Outdoor solar energy storage power supply


LiFePO4

**80000** <sup>3.2V</sup> mAh

**256Wh**  
capacity

**12V10A**  
DC output

**5V2.5A**  
USB output



Battery capacity:	80000mAh/256Wh
Input voltage:	DC 14.6V2A
Type of battery:	LiFePO4
Charging time:	4Hour
Cycle times:	>2000
Radio:	FM/MP3/Bluetooth
LED lights:	3W Independent lighting switch
DC Output:	12V10A
USB port output:	5V2.5A
Product material:	Wrought iron
net weight	3.47KG
Product Size:	225x125x170mm
Package dimensions:	250x165x200mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs

# Outdoor charging

1000W inverter power supply






# [inverter torch type] Outdoor solar energy storage power supply

## Ternary Lithium Battery

**78000** **3.7V** **312Wh** **300W** **12V10A** **5V2.5A**  
 mAh capacity AC output DC output USB output



Battery capacity:	78000mAh/312Wh
Input voltage:	DC 12.6V5A
Type of battery:	Ternary Lithium Battery
Charging time:	5 hours
Cycle times:	>1800
LED lights:	3W lighting independent switch
DC output:	12V10A
AC output power:	300W/220V
AC output waveform:	Correction wave
Overload power:	360W
AC peak power:	500W
AC conversion rate:	95%-98%
Inverter no-load current:	300W/0.3A
USB port output:	5V2.5A
Product material:	Aluminum alloy + flame retardant ABS
Product Size:	217x120x120mm
Product Size:	290x162x225mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs
product weight:	2.78KG





# [inverter torch type] Outdoor solar energy storage power supply

## Ternary Lithium Battery



**117000** <sup>3.7V</sup> mAh

**468Wh**  
capacity

**500W**  
AC output

**12V10A**  
DC output

**5V2.5A**  
USB output



Battery capacity:	117000mAh/468Wh
Input voltage:	DC 12.6V5A
Type of battery:	Ternary Lithium Battery
Charging time:	8 hours
Cycle times:	>1800
LED lights	3W lighting independent switch
DC output:	12V10A
AC output power:	500W/220V
AC output waveform:	Correction wave
Overload power:	680W
AC peak power:	1000W
AC conversion rate:	95%-98%
Inverter no-load current:	600W/0.6A
USB port output:	5V2.5A
Product material:	Aluminum alloy + flame retardant ABS
Product Size:	257x120x120mm
Product Size:	290x162x225mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs
product weight:	3.825KG






# [inverter torch type] Outdoor solar energy storage power supply

## Ternary Lithium Battery

**179000** <sup>3.7V</sup> mAh

**720Wh** capacity    **1000W** AC output    **12V10A** DC output    **5V2.5A** USB output



Battery capacity:	179000mAh/720Wh
Input voltage:	DC 12.6V8A
Type of battery:	Ternary Lithium Battery
Charging time:	8 hours
Cycle times:	> 1800
LED lights:	3W lighting independent switch
DC output:	12V10A
AC output power:	1000W/220V
AC output waveform:	Correction wave
Overload power:	900W
AC peak power:	1500W
AC conversion rate:	95%-98%
Inverter no-load current:	1000W/0.8A
USB port output:	5V2.5A
Product material:	Aluminum alloy + flame retardant ABS
Product Size:	357x120x120mm
Product Size:	390x162x225mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs
product weight:	5.38KG





# Outdoor solar energy storage power supply [inverter upgrade]

lithium battery

**140000** <sup>3.7V</sup> mAh

capacity: **518Wh** AC output: **500W** DC output: **12V10A**



battery capacity:	140000mAh / 518Wh (14.8V 35A)
Input voltage:	DC 16.8V5A
type of battery:	Ternary lithium battery
Charging time:	6小时
Cycle life:	2000次
LEDlight:	3W
DC output:	12V10A
AC Output Power:	500W/220V
ACoutput waveform:	correction wave
Overload power:	680W
Inverter no-load current:	500W/0.8A
USB port output:	5V18W
product material:	Flame retardant ABS
Product Size:	210x150x190mm
Package dimensions:	245x185x270mm
Packaging accessories:	Energy storage power supply *1pcs User manual *1pcs AC charger *1pcs Bulb *2pcs 3m bulb Wires *2pcs
product weight:	4.5KG



# [1000W inverter type] Outdoor solar energy storage power supply


LiFePO4

**240000** <sup>3.2V</sup> mAh

**768Wh** capacity    **1000W** AC output    **12V10A** DC output    **5V2.5A** USB output



- Soft handle
- 5W LED light
- DC input \*1pcs
- Master switch
- DC input \*4pcs
- feet\*4pcs
- XT06 output \*2pcs
- USB output \*2pcs
- LED independent switch
- AC output \*2pcs
- Inverter independent switch



Battery capacity:	240000mAh/768Wh
Input voltage:	DC 14.6V8A
Type of battery:	LiFePO4
Charging time:	8Hour
Cycle life:	>2000
LED lights	5W lighting independent switch
DC output:	12V10A
XT60 output:	12V20A
AC output power:	1000W/220V
AC output waveform:	Correction wave/sine wave
AC peak power:	1500W
AC conversion rate:	95%-98%
Inverter no-load current:	1000W/0.8A
USB port output:	5V2.5A
Product material:	Wrought iron
Net weight:	7.03KG
Product Size:	205x175x237mm
Package dimensions:	245x215x277mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs






# [1000W inverter type] Outdoor solar energy storage power supply

## Ternary Lithium Battery

**300000** <sup>3.7V</sup> mAh | **1200Wh** capacity | **1000W** AC output | **12V10A** DC output | **5V2.5A** USB output



Battery capacity:	300000mAh/1200Wh
Input voltage:	DC 12.6V/10A
Type of battery:	Ternary Lithium Battery
Charging time:	9Hour
Cycle times:	>1800
LED lights	5W lighting independent switch
DC output:	12V10A
XT60 output:	12V20A
AC output power:	1000W/220V
AC output waveform:	Correction wave/sine wave
AC peak power:	1500W
AC conversion rate:	95%-98%
Inverter no-load current:	1000W/0.8A
USB port output:	5V2.5A
Product material:	Wrought iron
Net weight:	7.03KG
Product Size:	205x175x237mm
Package dimensions:	245x215x277mm
Packaging accessories:	Energy storage power supply *1pcs    User manual *1pcs AC charger *1pcs    Bulb *2pcs    3m bulb Wires *2pcs





# Inverter control integrated machine

# Inverter control integrated machine

# 3000W

Sine wave 3000W 12V10A 5V2.5A  
 Waveform AC output DC output USB output



1000W  
Inverter output



Inverter switch

Total control switch

enter

enter



200W solar panel



Ternary lithium battery  
(You can match the battery by yourself)

LED Interface display



Link to the solar panel interface



Full battery interface



Low battery page

LED  
Emergency light

switch of  
above light

USB Output

DC output



Rated power:	1000W/3000W
Rated voltage:	220V
Rated frequency:	50Hz
Efficiency (peak):	>90%
Waveform:	Sine wave
Low voltage alarm voltage:	11.5V
Low-voltage cut-off protection voltage:	10V
Low voltage battery recovery voltage:	10.5V
Maximum input voltage of solar energy:	18V
Maximum input voltage of solar energy:	200W
AC output:	1000W/3000W
DC Output:	12V10A
USB Output:	5V2.5A
LED Lighting power:	5W
Product Size:	261x205x62mm
product weight:	1.66KG



# Inverter control integrated machine

## Ternary Lithium Battery

600000

3.7V  
mAh



2400Wh

1000W



12V10A

5V2.5A

capacity      AC output      DC output      USB output



# Inverter control integrated machine




Battery capacity:	600000mAh/2400Wh
Type of battery:	Ternary Lithium Battery
Rated power:	1000W/3000W
Rated voltage:	220V
Rated frequency:	50Hz
Efficiency (peak):	>90%
Waveform:	Sine wave
Low voltage alarm voltage:	11.5V
Low-voltage cut-off protection voltage:	10V
Low voltage battery recovery voltage:	10.5V
Maximum input voltage of solar energy:	18V
Maximum input voltage of solar energy:	200W
AC output:	1000W/3000W
DC Output:	12V10A
USB Output:	5V2.5A
LED Lighting power:	5W
Product Size:	261x205x62mm
product weight:	13.85KG



# Multifunctional solar hand lamp

Ternary lithium battery


**10800** **3.7V** **39.6Wh** **5V** **5V2.5A**  
 mAh Capacity DC output USB output



## Button function description:

- 1 Press the first time (the flashlight is strong), the battery level is displayed, Press the second time (the flashlight is weak), Press the third time (flashlight weak light + flashing) Press the fourth time (strobe flash) Press the fifth time (close)
- 2 Press the first battery display, the voice prompt waits for the link, turn on the phone's Bluetooth to find the [Bluetooth] device name and click on the link. After the link is successful, the phone can play music Press the second time (close)
- 3 Press the first battery display, the main light is strong Press the second battery display, the main light is weak Press the third time (close)
- 4 Press the first battery display to turn on the mosquito repellent function Press the third time (close)

Note: The four buttons can be turned on at the same time



Capacity:	10800mAh/39.6Wh
Battery:	1800MAx6
Lumen:	2000LM
Light source specifications:	100LED
Color temperature:	6500K
flashlight:	3W
Main light:	17W
Solar panels:	1.8W6V Polysilicon
Bluetooth audio:	2W
Charger:	5V2A
Product Size:	200x140x65mm
Weight:	0.88KG
Features and functions:	Dual-lamp lighting, emergency flashing, Bluetooth audio, light wave mosquito repellent, mobile phone charging
Packaging accessories:	Host *1pcs User manual *1pcs Charging cable *1pcs



# Multifunctional solar hand lamp

Ternary lithium battery

**6000** **3.7V** **14.8Wh** **5V** **5V2.5A**  
 mAh Capacity DC output USB output



Capacity:	6000mAh/3.7V
Battery:	6000MA
Lumen:	800LM
Light source specifications:	100LED
Color temperature:	6500K
flashlight:	3W
Main light:	10W
Solar panels:	3.5W Polysilicon
Bluetooth audio:	2W
Charger:	5V2A
Product Size:	170x220x63mm
Weight:	0.56KG
Features and functions:	Dual-lamp lighting, emergency flashing, Bluetooth audio, mobile phone charging
Packaging accessories:	Host *1pcs User manual *1pcs Charging cable *1pcs







# Multifunctional outdoor solar fan



Output Power:	2-4W
Speed control:	Stepless speed switch
LED lighting:	3W
Output current:	200mah-1200mah
Charging time:	4-6 hours
USB output:	5W
Solar panels:	3.5W
Product Size:	260x200x125mm
Weight:	0.745KG
Features and functions:	Mobile phone charging, LED lighting, solar charging, table fan hanging fan
Packaging accessories:	Host *1pcs User manual *1pcs Charging cable *1pcs





# Multifunctional camping lighting

# Multifunctional camping lighting




### Product parameters at a glance:


Battery:	18650 lithum battery
Charging method:	5V enter
Battery capacity:	3600-10000MA
Torch range:	about 200 meters
Charging time:	6-8Hour
Battery lasting time:	Flashlight 10-12 hours, strong light bulb 4-6 hours, second gear 8-10 hours
Product Size:	12.5x12.5x13CM
box size:	13x13x13.5CM
carton:	67.5x40.8x29CM
Gross Weight:	12.5KG



# Folding solar panels

30W 350X350MM






**30W**

- Output power: 30W
- Output voltage: 18V
- Expanded size: 700X350MM
- Folding size: 350X350MM



**10W**

- Output power: 10W
- Output voltage: 18V
- Product size: 347x233MM



**Portable foldable hand-held  
30W polycrystalline solar panel**



**50W**

- Output power: 50W
- Output voltage: 18V
- Product size: 670x530MM



**100W**

- Output power: 100W
- Output voltage: 18V
- Product size: 670x1000MM



**Bulb ball**

- 3m cord 5W bulb
- 3m cord 9W bulb



**Car charger line**



**Five drags one line**